	Application No.	Amplicant/a)	
Notice of Allowability	Application No.	Applicant(s)	\mathcal{M}
	10/017,534	OSTROVSKY ET AL.	(7)
	Examiner	Art Unit	
	Patrick J. Connolly	2877	
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this or other appropriate communical CIGHTS. This application is subje	s application. If not included ation will be mailed in due could	rse. THIS
1. This communication is responsive to <u>07 March 2005</u> .			
2. X The allowed claim(s) is/are <u>1,3-63 and 74-87</u> .			
3. X The drawings filed on 18 October 2001 are accepted by the	ne Examiner.		
 4. Acknowledgment is made of a claim for foreign priority u a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 	e been received.		
Copies of the certified copies of the priority do			from the
	cuments have been received in	unis national stage application	nom me
International Bureau (PCT Rule 17.2(a)). * Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDON'THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submined in INFORMAL PATENT APPLICATION (PTO-152) which give an including changes required by the Notice of Draftsper and including changes required by the Notice of Draftsper and including changes required by the attached Examiner Paper No./Mail Date [b) including changes required by the attached Examiner Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in the deposit of the same proper in the deposit of the same proper in the deposit of the deposit of the same properties.	MENT of this application. nitted. Note the attached EXAMIN res reason(s) why the oath or decorate state to submitted. son's Patent Drawing Review (Parametric Parametric Param	NER'S AMENDMENT or NOTIclaration is deficient. TO-948) attached the Office action of rawings in the front (not the bact 121(d). AL must be submitted. Note	CE OF
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summ Paper No./Mail 08), 7. ☐ Examiner's Ame	Date	

4

DETAILED ACTION

Terminal Disclaimer

The terminal disclaimer filed on March 07, 2005 disclaiming the terminal portion of any patent granted on this application that would extend beyond the expiration date of U.S. Patent 6, 847,454 has been reviewed and is accepted. The terminal disclaimer has been recorded.

Response to Arguments

Applicant's arguments, see the Paper, filed February 08, 2005, with respect to claims 53-57 have been fully considered and are persuasive. The rejection of 53-57 has been withdrawn.

Allowable Subject Matter

Claims 1, 3-63 and 74-87 allowed.

The following is an examiner's statement of reasons for allowance:

As to claims 1, 16, 22, 33 and 74, the prior art of record, taken alone or in combination, fails to disclose or render obvious an interferometer including: a first beamsplitter splitting light into a sample beam and reference beam; a diffraction grating positioned to diffract a reference light beam; and a second beamsplitter positioned to receive and combine a reflected sample light beam and diffracted reference light beam, in combination with the rest of the limitations of claim 1, 16, 22, 33 and 74.

As to claim 53, see Applicant's arguments filed February 08, 2005 for reasons for Allowance.

As to claim 58, the prior art of record, taken alone or in combination fails to disclose or render obvious a method of imaging a sample material including: directing a sample beam onto a sample and receiving a reflected sample beam; diffracting a reference beam; and combining the

Application/Control Number: 10/017,534

Art Unit: 2877

reflected sample beam with the diffracted reference beam to form a combined light beam for detection, in combination with the rest of the limitations of claim 58.

Page 3

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Patrick J. Connolly whose telephone number is 571.272.2412.

The examiner can normally be reached on 9:00 am - 7:00 pm Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gregory J. Toatley, Jr. can be reached on 571.272.2800 ext. 77. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

pjc PJC 3.14.2005